

DRAGON USER

A stylized red dragon logo with a long, flowing tail and a flame-like head.

The independent Dragon magazine

50p US\$3.25

March 1986

Exploring Dragon machine code

The Logical Dragon

Flee! — Arcade Action

Communication

6809 Express
coming your way

DRAGON USER



Telephone number
(All departments)
01-457 4040

Editor
JOHN COOK

Production Editor
BARBARA HULICK

Software Editor
GRIHAM TAYLOR

Editorial Secretary
LUCINDA LEE

Advertisement Manager
SIMON LAMBTON

Administrative
GERALDINE SMYTH

Managing Editor
PETER MCPHICK

Publishing Director
JERRY IRELAND

Subscriptions
UK £14 for 12 issues
Overseas (airmail) £20 for 12 issues
ISSN 0264-0017 Telex 278020
Dragon User, 12-13 Little Newport Street,
London WC2E 6PP

US address: 214 Boulevard Plaza
International, 280 East 42nd St New York,
NY 10017

ABC

Published by Corgi Press Books, 3000 Penn
Ln. © Corgi Press Books 1985

Typesetting by Stephens Press, Chatham
Books, Printed by Stephens Press, Chatham
Books, Printed by Stephens Press, Chatham
Books, Distributed by B.M. Distribution, London
SW9 6TH 01 274 5911 Telex 281813

Registered at the Post Office as a news-
paper

Dragon and its logo are trademarks of
Dragon Data Ltd

How to submit articles

The quality of the material we can publish in
Dragon User each month will be a very good
quality, dependent on the quality of the
documents we can make with your
Dragon. The Dragon computer was founded
on to the market with a powerful version of
Basic, but with very poor documentation on
Basic.

Articles which are submitted to Dragon
User for publication should be more than
5000 words long. All submissions should be
typed. Please leave wide margins, and a
double space between each line. Programs
should otherwise present the computer
control on plain white paper and be accom-
panied by a tape of the program.

We cannot guarantee to return every
submitted article program, so please keep a
copy if you want to have your program
returned you must include a stamped,
addressed envelope.

Contents



Letters

Melbourne House Book arrives — New
bulletin board — Peter Gregory still shocks
horror — More Pikes for your favourite
Dragon games — National Dragon Users
Group — buy of the Year?

News

1986 gets off to a slow start — Increase
announcement new releases and services
the clock — Delay on Westinghouse's Justice
system — made for games — Dragonish
delay at Eddies Festival

Top Ten Chart

Yes — a chart for Dragon software
compiled by you the user. Voters have
started flooding it — this is your chance to
vote in People's Choice Two

Communication

Problems, problems — as what to hear
about it. Send all your Dragon related
queries to this column and get results fast!
Or maybe this is your chance to help out a
fellow Dragon owner?

Files

The ultimate music game for your Dragon
— this one is not brought to your computer
by the programming team of Colin Hogg
and Dave Rogers

Machine Code Tutor

So he's not just a party face — Jason
Orsman at all start a series on machine
code for funerals! Don't meet it

Logical Dragon

Peter Wiltshire shows you how to make
your Dragon learn with the expert systems
program

Reviews

Some old, some new, some borrowed
Jason Orsman dips his hand in the goods
bag and passes judgement on what comes
out

Mixing it

Part 4 of Arcy's time again. This month a
detailed look at passing values from Basic
to machine code. Check it out

Firmware

Brian Cudge continues his stroll around the
Dragon firm this month dealing with
Assorted Visitors. Just what the doctor
ordered!

Cupid

Ah — it's Springtime and romance isn't the
en. Steve Getheros, went to the cocaine
and the sheep of the arcade game — in 1985
code

Dragon Answers

Brian Cudge consults the oracles of Graph
and answers back with some useful answers
to a whole bunch of readers' enquiries

Adventure Trail

Mike Garside is in a particularly helpful
mood this month. Page 29 for details

Puzzgrid

Construct your own wordsearch puzzles
using that program sent in to us by C. L.
Mayne

Competition

Gordon Lee sets out to bewilder and
baffle us as again, but for the instant, a
copy of Quake's is 6800 Express code
for winning

Editorial

UNQUESTIONS is one of the major personal achievements of the last 18 months
was the 1985 (M) Live Aid appeal, started by an individual as unlikely as popstar
Bob Geldof. Moved by scenes of mass starvation in drought-stricken East Africa, his
idea of "getting people off their backsides" (voluntarily passed over in the New
Year's Honours List) swept the country and culminated in the global event known as
Live Aid, last summer. And there were plenty of spin-offs too. Fashion-Aid,
Sports-Aid, Camera-Aid — and more relevant to the home computer industry,
Soft-Aid.

Misunderstood by so-Quake's supreme (now Electric Dreams MD) Rod
Garside, this compilation tape raised over £250,000 for the Ethiopian people — a
fine effort by everyone concerned. There was just one problem for Dragon owners
however — the tape was only for Spectrum and Commodore machines — which left
us just a little bit out of the game.

Following the success of Soft Aid, another charity tape is being prepared as I
write, entitled "Off the Hook". The proceeds from the sale will go to the Princess Trust
for Drug Abuse Rehabilitation — an organisation concerned with helping drug
addicts beat their addiction. A worthy cause indeed. And the good news for the
computing community is that even more people can join in the effort, as Amigaed
and SBC have been added to the list of machines catered for. But — still no Dragon.

OK, so maybe we understand the commercial reasons for not including us, but
that still leaves a minimum of 50,000 odd active Dragon owners all dressed up with
nowhere to go.

Of course, someone could else say "get off their backsides," but that only happens
in fairy stories. — GORDON LEE

© 2000 Blackwell Science Ltd

**WIN
AN ACTUAL
MOON CREST
ARCADE
MACHINE**

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

5.4. Low-level, Shared, Read-only, Host-Only

PROPERTY GUIDE 3000

Case Number: **100-100000**

Date: **10/10/10**

Time: **10:10**

Location: **100-100000**

Officer: **100-100000**

Remarks: **100-100000**

News desk

If you have any new products for the Dragon — software or hardware — ring the News Desk on 01-437 0342

Incentive — new release

INCENTIVE wish to stop the spread of any scourges (known names, please) between known whorls (that they are hailing development) of new Dragon games, by announcing the development of their new game, *Time Lord* for the Dragon 32.

Described by Incentive as Ian Andrew's "a multi-screened 3-D escape adventure, the plot involves destroying the evil with whom Naco. During the game, you must explore Naco's castle, seeking out and dealing with various gear items, to locate parts of a magic lantern which will give you access to the inner Time, where Naco has sleeping and left on to the last confrontation.

These is the first Dragon game written by the long-time freelance developer, Peter James and Roger Thrall, but with the guidance of Martin Madness.

type 3-D, the arena look good. *Time Lord* should be available around mid-May from Incentive priced at £2.95. Contact Incentive 0734 231 676.



The Dragon User Moves Desk, last month, the Incentive Moon Cresta computer to win all original Moon Cresta article machine will close at the end of 1985 — so don't say that you've not got time to review.

Juxtaposition delay

The 1985 adventures waiting for Juxtaposition, Part Two (*Jupiter of Pluto*) are going to have to wait this time because they expanded — as Windows are having trouble fitting it all in memory.

The game is going to be released later than sales peaked — as Windows's John Humphreys has to bring for an Easter issue of all good will. This compares to the original release — early 1984.

February
The already new design has been refused to produce a bigger game — possibly in two

parts. The first part concerns the task of gathering together a list of companies to have the right of Windows. The second part is a combination of strategy and conventional adventures, done with the confirmation that, as you build it out with the first month. The program will have some decent graphics, as well as the "Panning Graphics" that were such a disappointment in the first.

For further details, contact Windows: 30 Uplands Park Road, Epsom, Middlesex TW20 2PT. 01 267 5730.

Total Eclipse — the public wait

SPRINGHAM based Software House Fenwick Ltd have recently been the subject of investigation by West Midlands Consumer Services following complaints from dissatisfied customers passed on to them by Dragon User. Company spokesman David Measeford claims totally false da-

tailed and other technical problems on the delay in distribution of the latest release *Total Eclipse* but a complaint that orders will be fulfilled by the end of January. He added, "if anyone requires a refund rather than waiting for the game, we can send a cheque within 48 hours."

West Midlands Consumer Services can be contacted on 021 754 2525 — contact Mrs S. Lewis.

Dragon User People's Chart

Power to the People is our motto here at Dragon User — so this month (and every month) we are here going to offer you the chance to air your personal preferences to the software producers by voting in the Dragon User People's Chart.

Ever since the majority of retail outlets ceased stocking Dragon programs (so that sales are now made more difficult to access) the Dragon reader has lacked that one thing any self-respecting reader must have — a chart. Loved or hated, a chart is a useful thing, it's only to think in one of many ways also states your good taste.

So, ever with the reader in mind, we are now introducing a People's Chart — for you to vote for your top five Dragon programs (games, all titles or applications) each month.

And just to make it that little bit more interesting, this month Microdeal are offering £25 worth of software (at your own choice) to the winner of our associated anagram competition. Who said anything about a competition?

Well, to make things even more interesting, I had the idea of asking you to compete in an anagram from your top three — the cleverest winning the goodies. Give it a try, you know it makes sense!

This is what you do

Each month, Dragon User will be compiling its own special Dragon software Top Ten Chart — compiled by you!

And each month we will be sending £25 worth of Microdeal software to the person who sends in, with their personal top five, the most original phrase or sentence made up from the letters (you don't have to use them all) in the titles of their top three programs.

You can still vote in the chart without making up an anagram — but you won't be in with a chance of winning the prize.

All you have to do is fill in the form below (or copy it out if you don't want to damage your Dragon User) and send it off to: People's Chart No. 1, Dragon User, 12-13, Lime Pieport St, London WC2H 9PP.

Chart Two

Voting for Chart No. 1 closes at 11pm on Friday 14th March 1986. Entries received after this time will not be eligible for inclusion in that month's voting. The editor's decision is final. Only one entry per individual per month will be allowed.

My top 5: Voting Month 1		Name
1.	Address
2.
3.
4.
5.

My phrase is:

Communication

Send in your questions, requests, and ideas to **Communication**,
Dragon User, 12-13 Little Newport Street, London WC2

Problem: Want to know if anyone else has got a copy of Dragon Forth by Gales Software. Any price paid but must have instructions. Must be in fairly good condition.

Enquirer: Evans Hale 34 Norweth Road Thornton Heath Surrey CH4 8NA.

Problem: Need image of floppy routine for Basic and or machine code.

Enquirer: David Pate 44 Pease Avenue Shortfield Essex CM15 8RU.

Problem: I am at present working on my Q level core putter project which is a data base built to work in Dragon plus tape and I am finding difficulties when it comes to file handling (ie record searching and file extending). Can any one recommend a good book?

Enquirer: Michael Walker 77 Lynton Avenue Collier Row Havering Essex HA7 1BH.

Problem: I have a Dragon 32 with DragonDos disk system. Recently I was using a graphics program when the disk started to make abnormal sounds. I used the directory and found that although it was showing the correct amount of free space it

did not list the last few programs. Is there any way of recovering these lost programs?

Enquirer: P J Webb 41 East deal Avenue Swindon SN1 4HG.

Problem: Could anyone explain how to determine the addresses for OSARE, CLOAD, EXED and CLEAR? Also the same for assembler programs (ORG & PUT) was less with address.

What do I have to go with PUT and END and where the ROUTINE and how to OSAREM from Assembler? I am a complete beginner in machine code.

Enquirer: Leo Dequenne, Wansleyville 37 2648 Swindon, Belgium.

Problem: I am hoping to use my computer to control my very complex model railway. The only problem being is I wish to use infra-red analogue control where the controller produces the frequencies and the necessary data for the decoder.

I do not know much about the subject from my Dragon or high level but I'll let you I have to use machine code but I am not sure how to address the necessary parts of memory for controlling the cut parts. I would be very

grateful if anyone could help me.

Enquirer: S J Taylor Fantasy Lane, Bessingby, South Hum, Sussex BN26 8HN.

Problem: I am now using a Comore GDS with my Dragon 64 and am anxious to convert a number of my programs to Dragon Operation. Unfortunately the Comore manual and Comore themselves are not too helpful.

Can anyone please give me some assistance?

Enquirer: Peter Burgess Byways Oak Lane, Broomfield Heath, Hammersmith, Sussex RH12 3LA.

Communication

Stick to a routine? Need some obscure equipment? Feeling cut off? Fear not — someone somewhere can help you! Write down your problem on the dragon below (make it as brief and legible as possible) together with your name and address and send it to **Communication**, Dragon User, 12-13 Little Newport Street, London WC2H 7PP. We'll publish it as soon as we can — meanwhile maybe there's someone you can help this month!

Problem

Write down your problem on the dragon below (make it as brief and legible as possible) together with your name and address and send it to **Communication**, Dragon User, 12-13 Little Newport Street, London WC2H 7PP. We'll publish it as soon as we can — meanwhile maybe there's someone you can help this month!

Name

Address

Write down your address on the dragon below (make it as brief and legible as possible) together with your name and address and send it to **Communication**, Dragon User, 12-13 Little Newport Street, London WC2H 7PP. We'll publish it as soon as we can — meanwhile maybe there's someone you can help this month!



of the hill!

The RAMBORN is the biggest and best magazine available for the TRS-80, Color, TDH-100, MG-10 and Dragon-32 Computers.

And no wonder! It's over 300 pages thick each month — pages brimming with programs, product reviews, tutorials, columns, hints and tips about your computer. Yes, it is computerized. But Color Computers Magazine can't help.

Don't delay. For only \$28 you can get the Ramborn every month of the year. Three year GDS's will be King of the Hill too!

U.K. Subscription rates
U.S. \$40 outside rate
U.S. \$188 air rate

the Ramborn is available for the TRS-80, Color, TDH-100, MG-10 and Dragon-32 Computers.

YES! Sign me up for the Ramborn. I want to receive it for the next _____ issues.

My name
Address
City

Payment by
Check
Credit Card
Signature

Name _____

Address _____

City _____

Country _____



Flee! Flea!

A superlative snake game by the joint of Dave Rogers and Colin Hagg

YES this is a real-time Pacman type game, but we have given it a very definite style and flavour from the untypical use of the Dragon's resolution modes (avoiding the usual Dragon blunders) to the distinctive and devious designs of the mazes. To play it is both challenging, and we believe enjoyed as far better than any game of this genre available for the Dragon.

All the features expected of a good machine game are included: multiple tunnels; power rings; instant open virtual directions; bonus fruits; a highly intelligent player scoring algorithm up to five; progressively aggressive opponents; zero bonuses for catching extra lives; no pausing timer; and so on — yet the playtime is relatively short. Other than features include a control key response tailored to allow anticipation while turning corners (giving much more time for play), 14 different sound effects; tunes; and a fully functional decompression mode, which also cycles through the six screens so even if you can't download it yourself at least you can all back and see what you're missing!

The only compromise we have made in the program is a slight delay between certain screens (15 secs) while video modes are altered, so (a) do this any faster would have required considerably more code.

Overall approach

We use a real-time screen system, and this is well worth describing because the concept could easily apply to almost any mode. The game is actually played on the Dragon's low-resolution (text) screen, which is black; characters mapped and typed in a simple straight forward way, starting at address 1000. Only those parts that change on the response screen are translated by means of a machine code scan, onto the real screen, the latter being the only screen actually seen by the player.

By using this method all of the game logic can be programmed using normal character codes and gives rise to a simple screen, which can also be easily ported to a performance checking mode taking some tunnel moves, etc.

Meanwhile the virtual screen can be made as detailed as you like and to characters and colours can be switched around without affecting the actual operation of the game in the slightest. Since the adapted screen is never actually seen (unless you press the key) it doesn't matter what it looks like, so you also gain the freedom to choose characters with codes that make the programming easier. For example we arranged all the characters

that are valid in reality (for the player or for the keys to move on to) into easily identifiable numerical groups.

To update the screen we use three different machine code subroutines. While we are describing these the main machine code functions will also be covered.

(1) **Basic Map (Map = 31631)** This updates the entire screen, but is also slow to be used all the time (because it has to scan the 32 × 16 characters on the adapted screen, then later to fit-pattern tables to find the corresponding frame characters and paste a total of 32 × 160 bytes of these onto the real screen. You can see the speed of the scan when it does a colour change every down between screens five and three).

(2) **Exec 31646** Updates the score display only (top left). Used for example when bonus is being counted up.

(3) **UDR 80 (address is 31687)** This sets the main machine code routine that takes care of ALL the responses. It moves the focus onto the adapted screen as defined by the player scoring algorithm, etc. (the player's position being played via \$ in Line 50) but then it also updates special areas of the frame screen these being: Each of the four post-match best previous position (replacement characters) the player's position where, before, left and right of the player (so whichever way he was moving the update will cut-off his previous position), and finally the score display. This main routine also does the following: scans the screen for dots to see when it had been cleared; detects when the player has been caught by a flea; a jewel may have been eaten; test if wants to decompress; the value in the power ring counter (address 31637) and detects when the reaches zero. It accordingly returns to Map with a number between one and four which is then used by the Go-Code in Line 50 to reach the appropriate Basic routine (1 for screen cleared; 2 for power ring expired; 3 for normal; 4 for player hit).

Play Key FF22 Video colour control

Exec 31643 Initializes the stores with start positions, etc.

Play Key FF05F0CBFF02 Selects video mode used.

Typing-in Use

The machine code data file and the storage holding the compressed maze data are all characterised so you, first time user, will almost certainly result in error messages, directing you to look at certain lines and correct typing mistakes. Unlike similar machines the Dragon checks in-line Run time, not when entered, so you should select Demo mode and leave a 4 to cycle through all six mazes and later go on to

give the program the opportunity to spot any mistakes, making corrected all errors done (up to 50) in a few cycles.

MS Line 950 All seven characters A, A, on is A, B, A, twenty A's.
Line 970 Press P to play. D for Demo.
The well-known speed-up Post in Line 950 will work on most Dragons but not with a demo; then just enter the time and since we used a only to accelerate maze speed, the main game will still run at the same speed.

Do not save the game in Fast Mode, it won't load back! It is about time HEX FF0B is to return to Slow Mode.

Playing

At any time during active game mode or at the end of a game you can pause, P to play and during play you can pause by pressing 2600's. Screen one is particularly easy while screen's four (Snake Cuts) and five (I see the Flea) are particularly difficult, but not impossible! In fact there are quite easy ways to clear all the screens, we have looked at it, but unlike most Pacman type games, it needs practice and the formation of definite strategy!

Modifications

(1) If you need to store the game down load 34 FOR DE = 110 50 NEXT DE. The delay figure of twenty can then be adjusted up or down to find your most comfortable speed. (2) To make an Automating version just add these lines:

```
12000 DSAV=0: FLEE 157: 17000 D
12010 FOR I=27:60: FOR I=28:104
12020 SOUND 250:10
12030 RUN
```

To save type RUN 10000

To load the version you need use CLOADM since the subunit works by saving the whole program as a machine code file within the POKESimulator and at load, ported, you have definitely over-released the delay in case you accidentally type in more spaces than intended; making the program slightly longer than is listed. It is best to still keep a tape of the normal version as a back-up copy.

(3) If you feel you must alter the keys used for control then you must also change the string 200A in Line 1616 the same letter otherwise demo mode will not work at all. (4) This program will work on the Dragon 64 if you change US\$900 in line 50 to US\$90.

Ready typed versions of this program (including an expanded automating version at the end) are available for £3.00 from J. Rogers, 11 Camerton Road, Watton, Leamington CV18 1EB.

MICRODEAL HAVE DONE IT AGAIN!

THE USA'S CURRENT NO 1

SHOCK TROOPER

**The Greatest Hi-Res Graphic Arcade Game
Ever Written for Your Dragon/Tandy Colour 32K**



Welcome Shock Trooper Squad Commander! Intelligence has intercepted a coded message revealing a plan to conquer Earth. Four of your Shocktroopers must infiltrate the heavily defended underground enemy base and steal all of their secret TRG-5 attack saucer sub-assemblies. Return them to our scientists for analysis. This secret information is crucial to our defence.



Good Luck!

**Soon to Receive a
5 Star Review**



**The public can't be wrong.
Shocktrooper was the TOP seller on
our 1985 Roadshow selling twice as
many copies as its nearest rival.**

**14 HI-RES (BLACK ON WHITE) ARCADE SCREENS UNIQUE INVISO DEVICES
PLUS CORTA BOMBS THE LATEST RELEASE FROM MARK DATA PRODUCTS
IN THE USA**

AVAILABLE NOW!

USE OUR 24 HOUR MICROPOST SYSTEM

**By Post to: MICROPOST
41 Truro Road, St. Austell
Cornwall PL25 5JE**

By Phone:


0725 68820



SMASH HITS FROM BLABY

[illegible]

REUTERS — Germany's top company, Siemens AG, has agreed to sell its stake in the French power producer, EDF, to the French government, ending a long-running dispute between the two companies.



Abstract

© 2004 Pearson Education, Inc. All rights reserved. This publication is protected by copyright. Any unauthorized distribution or reproduction of this work is illegal. All other rights reserved.



CHANGES OF COMPANY: The applicant hereby certifies that the following information is true and correct, and that the applicant is not aware of any other information that may be material to the Commission's review of the application.



RESEARCH — In 1998, Hertz provided an independent investigation. "The company's review of subcontractors' labor contracts was not yet completed for payment of the 10 per cent bonus that is offered to a subcontractor if payment for work is made within 10 days of the end of the month," Hertz said. "The

Abstract

Copyright © 2007 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as may be permitted in writing by John Wiley & Sons, Inc. This publication is intended to provide accurate and authoritative information in regard to the subject matter covered. It is sold with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional service. If legal advice or other expert assistance is required, the services of a competent professional person should be sought. This publication is printed on acid-free paper.

© 2000 Blackwell Science Ltd *Journal of Internal Medicine* 247: 391–397

Copyright © 2007 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as may be permitted in writing by John Wiley & Sons, Inc.

BLABY COMPUTER GAMES

CROSSWAYS HOUSE
LUTHERWOOD ROAD, BLADY, LEICESTER
TELEPHONE: 5625 FORTH TELEX: 342025-2744 G



Original Software for the Dragon by COMPUTERWARE



74 56

11-11-2011 11:11:11 AM

Actual adoption of the TV game substitutes 3 players. The game markers are numbered 100-pounds and 50-pounds containing a multi-layer design and very high-contrast (difficult to read) is hard. Full-color is green/white. 100-pounds are used to play the 100-pounder which pays 100-pounds for 100-pounds and 50-pounds for 50-pounds.

"Computware presents the game in an efficient and compelling way" — *Dracost User*, May 85



100

1111

The game suits 2 to 4 players; the object being to form words on the board and thereby score points. The computer automatically calculates all scores moved by double and triple word squares. **Slogoboard**: The game is more relaxing than **Slogoboard**, but it's still a good one. It's a word-building game where you have to build words from letters that are given to you. The game is very easy to learn, but it's quite difficult to master.

"Lifeward seems to be an excellent program, with much enjoyment to be had from it..." — *Chicago News*, May 1982



Figure 1 consists of four bar charts arranged in a 2x2 grid. Each chart represents a different level of agreement with the statement 'The government should do more to help people who are struggling financially'. The y-axis for all charts is 'Percentage of respondents' ranging from 0 to 100. The x-axis for each chart is 'Percentage of respondents' ranging from 0 to 100. The four charts are labeled: 'Strongly agree', 'Disagree', 'Don't know', and 'Strongly disagree'. Each chart shows the distribution of responses for each level of agreement. For example, in the 'Strongly agree' chart, the 'Strongly agree' bar is at 100%, while the other bars are at 0%.

100% stainless steel, full colour high resolution graphics, any number of tables, any different courses, numerous table styles, continuous scrolling table of champions and jettison age and the class, matching award shirts.

"... a well written and thought out program" —Dragon
Mag. (December 88)

Dear Computerworld:
I have this morning received
my copy of Blackboard. Our
entire staff is very pleased with it. I
must praise your very prompt
service. Well done.
Paul Gardner
Harcrow

Dear Complainers:
May I say how enthusiastically your
Lifework program is. A man
gives our family hours of fun
and interest -- and I hope
increased vocabulary!
Peter Jensen
Rye

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

COMPUTERWARE

DOI: 10.1002/for

TRADE ENGINEER 1000 1700

Machine code for humans

Part One of a massive opus by Jason Orbaum et al

MANY people emphatically taught a computer to learn to program, and after looking at the BASIC manual, gave up and played a few games. Anyone who did that, however undoubtedly owns a Spectrum so the secret will be shared at those with a reasonable knowledge of some sort of programming language, but minimal knowledge of the innards of the Dragon, or the 68000 microprocessor is to be feared. However, since we have ambled slowly through the complete pitfalls of assembler programming for a few months, even the most dedicated high-level language programmers will want to give it a try.

We will start by presenting a few complete programs, maybe one or two useful ones among the games! These will be given as complete assembler listings, so they can be used as tutorials, and listed, and they will all be fully documented.

The beginning

Before we progress, who are we actually doing? We're required to teach you? Well, first, from programming in machine code, as a team for several years, now including covering the entire range of computers from Z80's through Dragon and 6800 upwards past 6801 and Super PCs to Pentium computers. This experience also covers a wide variety of languages although we rarely use anything but assembler, though choice (our experience covers C64, BASIC, Pascal, Logo, and C, so we are not just a pair of otters) is not bad. Secondly, the name Jason Orbaum may ring a bell in the dim recesses of your mind as one of the magazine's reviewing team. If so, then you will know our objectives in program construction, and will also know that we believe that a piece of code is nothing without a firm and verifiable standard.

Starting very shortly and running parallel with this series will be a set of addresses by subject of writing adventures in machine code. These should be kept by beginners as they will be invaluable when this course is complete. That series will not attempt to teach machine code, it will however provide a few examples of code in use and firm grounding in design beyond the basic techniques of teaching we will introduce next month.

Most people think of the sort of programming as machine code, some call it assembler or assembly language, still others call it purgatory, but they are all the same thing (except purgatory, that is which is something totally different and much more unpleasant). An assembler is a programming aid for converting a form of the code we can understand (the mnemonic) to a form the computer can under-

stand, the machine code. An assembler is not strictly necessary — for instance, C64com Compiler from Budge Software was written as a assembler — but it will make things infinitely easier and avoid down-development time a lot.

Choice of assembler is largely down to personal taste. Most of the programs for this series were written using Encoder89 from Premier Microsystems, now sadly deceased, which uses the standard Dragon 6800C editor. Others are quite acceptable, but it is a good idea to get one that can assemble source files from tape (or disk) as having the source code in memory can take up a lot of space, taking the size of the final program to a few Kbytes. The Dragon editor from Dragon Data is a good example of this, the program in this case being limited to about 5K. All right for small programs, but unfortunate for big projects, although a lot of the programs we will be presenting lend some light of day to a Dream editor/assembler. There is an updated version of Dream called Dream2, which is used by many as the best available, and runs under Dragon2.

Many people think of assembler as being as difficult to write in, and not worth the effort. It is true that many did these things later 6800C compilers, or in Pascal, that can perform benchmarks to get over 100% of 100% to 100% code size, but nothing will ever beat machine code for speed of execution and compactness of code. Any interpreted or compiled language (machine code is not compiled, no matter what the local BASICs expensively pretend by making it slightly generalised) and therefore slower and more bulky. With machine code the programmer has ultimate control over what is produced, and any inefficiency must be down to programmer error or a constraint imposed by the designers of the processor. This also makes assembler one of the most satisfying languages to write in, it is also possible to do anything the computer is capable of in assembler (including blowing the 6800 chip — right at that time) whereas most high-level languages stick to a standard of one got or another. The day the International Standards Organisation got a 6800 assembler, we can all buy Commodore and settle down to play games for the duration of our retirement!

Rom calls

Another part of assembler programming is to arrange there is a discover about the machine itself. There is a lot of memory used by the system for various purposes, which an assembler programmer can use to make the Dragon sing (literally). We know...! They can also lead to some

particularly spectacular crashes. As most programmers find out very early on in their association with assembler, the most beautiful is not always the best — 68000 and 6800C.

Machine code is composed of a set of relatively simple instructions, covering simple arithmetic, memory access, and a few hardware functions for interrupts, etc. The 6800C, that the Dragon uses, is very powerful for an eight-bit processor, much more so than the bare-bones 6502, and significantly more so than the reasonably refined 286! This is due to the fact that, although technically an eight-bit chip, most of its internal structure is that of a 16-bit chip (as opposed to the 6801 or 68008, which function as a 32-bit processor, although it is in fact an eight-bit device with extra address stations). The key processors are defined in assembly down to the size of the address bus, which is the part of the chip that carries the address to be executed in. This is eight bits (Binary, digital) wide, the maximum address that can be reached is 1111111111111111 binary, or 65535 decimal. This is because the address is stored in two parts, a high byte and a low byte.

Next month we will launch into flow charting and also describe the internal architecture of the 6800.

Glossary

Address Bus: The address bus is one of the processor's paths of communications to the outside world. It is used to transfer addresses to the rest of the hardware, and so the size of the address bus dictates the size of memory the processor can access. **Bit:** Binary digit. As most computer buses will insist on telling you, computers work in binary, or rather two just as humans work in base 10 (don't however tell this knowledge to behave. A bit machine code programmers are limited to using the digits zero and one, with the computer's pointers only two fingers). A lot of literature refers to one or a zero.

Byte: A byte is a number (the maximum value of which is dictated by the computer used). In most cases, a byte is from 0 to 255 (or -127 to 126). This is a function of the memory chip used, rather than the processor, and therefore varies little from machine to machine. A byte consists of eight bits.

Data bus: Similar to the address bus, except that the data bus is used for data.

Nibble: A nibble is four bits, or (less commonly) half a byte. From this, it is not hard to expect to find any value in the range 0-15. Why? A nibble can be 0-15 (range 0-15). Look at the definition for bit, maybe then work it out.

Continued next month

The Logical Dragon

The elements of an expert system by Peter Whittaker

THE DEBATE over just exactly what intelligent is has gone on for a long time, and as yet there is no signal of an answer in sight. However, computer programmers have not waited for the answer to start exploring the fascinating area of intelligence in computers. Instead, they have decided upon a definition of intelligence which suits them, and then gone on to experiment with it. They say: "the machine can behave in such a way as to be indistinguishable from a person, and if the person can be said to be intelligent, then so too can the machine." It is here the very practical position that we shall start.

One of the biggest problems computers have is imitating intelligent behaviour in their inability to understand English. They do not of their own accord remember what you tell them, and use the information thus gained to help them to draw new conclusions for themselves. A prime example of this is the case of syllogisms. Syllogisms are deductive arguments which take the following form:

A is a B
B is a C

Therefore A is a C

For example:

Peter is a man
A man is an animal

Therefore Peter is an animal. The first two lines are preconditions: giving us the raw data to work with, and the third line is the conclusion based upon the first two statements. The conclusion is useful a time later previously unknown.

I have written the program to handle just such deductive arguments. The program may first be explained by taking it. When the prompt appears, type in the statement "A student is a layabout" and press **ENTER**. This is accepted by the program. Line 40 in **AS** (nothing happens) to **AS** until Line 120 where my first **if** in the **if** gets removed. This should bring the subject of the sentence (student) to the front. Then Lines 160-168 remove the verb from the middle of the sentence. This leaves the subject and object standing alone to be used in **IS** and **OS** (Lines 310-350—nothing **OS**—**layabout**).

The raw information that is stored in an array **L** on 340-350 checks to see whether the subject (**ST**) has been encountered before. If it has, then it will be recognized as a heading in the array (July 290). It has not been encountered in the array. It is placed at the top of the first available blank column (July 260). The program now checks down the column of **ST** for a match under the subject. To see whether it has already been linked with the object (Lines 290-348). If the object cannot be found, it gets added to the bottom of the list (Line 320). Having stored the data

in its array, the program now returns to Line 40 to establish the next input. Type in "Peter is a student" and the program will follow the same steps.

Having set up a database with the program, we can now start to examine the information we have stored in it. The first method is to list out the data under subject headings. Type **Subject** and when the computer asks which subject type "Peter". Under this heading we will find the only "student", and if we had entered "student" we would have found "layabout". The link between the two is obvious to us, but will the computer notice it?

Searching

This brings us to the second, and more interesting, way of questioning the data base. Questions are asked in the form **IS** **ST** **OS** **?** and the **?** type in is Peter a layabout. Once again this is accepted on **AS** by Line 40, but this time the **if** **ST** at the start of the question gets detected by Line 160-168 and the program jumps to the question handling routine at Line 350. Here the question is changed up to extract the subject (**ST**) and the object (**OS**). The program then proceeds to search its database to determine depth for a link between the two.

The first search is only one level in depth and the program is not trying to discover any link between various pieces of data, but looking to see whether it already knows the answer. The program scans along the top line of the array trying to find the subject (Lines 460-520). It cannot find it then the search is terminated. A no data message is printed and the program returns to Line 40 to wait the next input. If the subject is found, then the program scans down the list of objects listed under the heading trying to find a match for the object in the question. It is a link a match then it prints "YES" and returns to Line 40, otherwise the program moves on to search a level deeper.

The second level search (Lines 540-700) begins at the next row-start of the syllogism argument starts by finding the subject in the top line of the array, so far the first level search. Then it works its way down the list of objects listed under the heading. However, at this time instead of looking for a match with the sought for object, the program uses each object in the list as a new subject, and searches along the top line of the array to see if there is a column under the new heading. If there is, it then looks down this column searching for a match with the question object. If it finds a match it prints "YES" and copies the new information to the bottom of the subject column, and then returns to Line 40 to wait the next input. In

this way the program can expand its knowledge database for itself. If it doesn't find a match, it looks again in the list under the next item in the original subject heading list. This continues until the program has examined all of the items in the subject heading list. If this happens the program moves on to search yet another level deeper.

The third level search (Lines 710-1000) goes one stage further than the usual syllogism argument (A is B, B is C, C is D. Therefore A is D). Again it does not immediately look for a match, but uses each item in the subject list as a new heading to search. It then used to scan in the new list again as new headings, and only when it examines items under the list does the program look for a match with the question object. As with the second level search, when the program finds a match, it copies the information to the original subject list.

The "learning" process of the program can be examined using the **SUBJECT** command. If we type **SUBJECT**, and then answer the prompt with **ALL**, the program will list out all of the information stored under each of the subject headings. Under Peter we will find "student" and "layabout" and under student we will find "layabout". Next we ask the computer to find the information between the two. Type "Is Peter a Layabout". The program will go a level deeper search and not find a link. Then it will go a second level search and find the link (student) between the two forms, and print the answer "YES". If we now examine the database by subject again under Peter we will find "student" but we should find the new information "layabout".

Deduction

The program has added the result of its deductions to its knowledge base. To help us check up on the program's logic, it also prints out the rule it followed to reach a conclusion (Peter — Student — Layabout). Further, the program does not require an exact match to deduce a link. It can find a part of a link it will accept it. (eg. Searching for Peter and finding Hummer will produce a "YES" response.)

The **LOAD** and **SAVE** options (Lines 1010-1090 and 1090-1110) called by **LOAD** and **SAVE** are set up for disk, but can easily be converted to work with tape. They assume that the data file will be called **SYLLOG.DAT** but this can be easily altered if you are going to convert the program for tape. Also delete the **exit** line at the end of the program. Try experimenting, and see what links your Dragon can deduce between different pieces of information.

Disk utilities

Programs: Disk Utilities, Jim Kingston, 11 Whitecliffe Gardens, Brixton, Shropshire, West Yorkshire WF11 6TN
Price: £10

DISK UTILITIES is a collection of 12 programs, some of which will be useful to any DragonDOS owner. All of the utilities are entered from a main menu which is called up by typing **DISK U**. The menu is displayed on a very readable 40 column display and selection is made by moving the cursor line to the required utility and pressing Enter. Most utilities then require you to press enter again although for no apparent reason.

The first utility is to send a copy of the directory to the printer. I have commented before that this can be done from BASIC with **PDISK 111284 DPK** so the disk spacer could have been used for a more useful utility here.

A more useful option is **Disk View**. This allows any sector of the disk to be viewed using the cursor keys to skip forward or backwards a track or sector at a time. The sector is displayed as ASCII characters at the top of the screen. My only complaint here is that there is no option to dump the sector as HEX code.

Four separate utilities are provided allowing programs to be copied from disk to disk, tape to tape, tape to disk, and disk to tape. This all sounded very promising until I found that the only files which could be copied of any of the utilities are binary files which had above address 7950. The program will not copy BASIC or data files. Again there are potentially very useful utilities again by infidelity.

Perhaps the most useful program on the disk is the one which recovers accidentally KILLED files providing nothing has since been written to the disk. This utility allows any file type to be recovered and gives you the option of protecting the recovered file.

Another well implemented utility is the Sector Editor. Any sector may be loaded in and edited using the cursor keys. Bytes can be changed either by entering the ASCII character or the ASCII code. The ASCII mode of the editor under the cursor is also printed

which is essential for identifying non-printing characters. The most common use for the sector editor would probably be to change filenames of the directory list directly (especially useful for null filenames) or used in conjunction with the Disk View option to locate the required sector of a program and to change it directly although this can be potentially fatal.

An option which looked very useful was **Disk Menu Generator** which purports to create a menu program on any disk enabling you to load any of the last twelve programs on the disk by a single key press. Unfortunately all my attempts to use this utility completely resulted in the program crashing with **APP error** — so much for the 'user friendly prompt'.

The final couple of utilities included allow a complete disk to be saved and loaded from tape. One disk takes about 20 minutes to transfer to or from tape and as cartridges are cheaper than disks this is an economical way of backing up data for safety — providing you can stand the wait!

Again from the few annoying features of this disk, such as not being able to return to the main menu from any of the utilities and the fact that error messages are not displayed — **DISK ERROR** as all you get — this is a generally useful set of utilities for disk drive owners. It is a shame that there is no space to use two or more drives which would save a lot of disk swapping.

Unlike Domini's **Disk Doctor** program reviewed in the September issue of *Dragon User* there is no utility to automatically recover damaged programs — you'll have to do this manually using the Sector editing option. However, at £10 this offering is considerably less expensive than Domini's.

Brian Cudde



It's war!

Program: *After War* GP Quest, 18 Waterbridge Road, Preston, Weymouth, Dorset DT9 6BT

BACK in the days of time when the G3 was just a link to somewhere on St. Olave's anatomy there was a computer called the ZX-61 for which revenues used to go somewhere like I bet.

I cannot review this game as I cannot get it to load due to the bad loading system on the computer. However it is described by the manufacturer as:

Hay? Quite what? A touch of nostalgia? I can't get *After War* to load either. At least not more than once. But that I'm not so sure is very enough. It is not actually that bad a way if it took me three weeks to score data to get *After War* to load and now it has given up altogether.

The game has instructions to be a pilot by real game. It runs on ZX81 without the need for loading and saving of data except at the end of a game!

This is the equivalent of me saying, 'I want to be Rambo!' I have a new rich dad and can carry three policies at a time!

Play by mail games are big. They have to be otherwise no one would not be interested in them after having waited two weeks since their last move. This game is not big.

To play this game by mail would also require superior cassette I/O. The data to be exchanged at the Dragon especially through I/O are more easily bad and to have to save the game after every move would be a nightmare!

When the game did eventually load it was as if I had an immense disappointment as it was written in BASIC and runs very slowly.

The instructions appear to have been written by someone who has never actually played the game, as in play they were about as useful as the Pac-Man copyright (hello Alan!).

For example, if a friendly unit occupies the same location as the cursor you will enter **Control** mode for that unit. The cursor will change from red/green/blue/yellow to red/green/red.

The syntax described is a pair of words for their paths apart on the PACODE! screen and the colour change appears to be totally random anyway! The manual goes on to say how the mathematics of conflict is done by the computer and then tells you what the computer is doing in case you

want to do it on paper.

The game cannot be played solo as both my sister and myself were forced to play the appalling duff for far too many hours as it is!

Jason Christie



It's just a must

Book: *DRAGONDOS Programmer's Guide* Gowerware Software, 25 Grosvenor Road, Seaford, East Sussex BN25 2BB

Price: £2.95 inc. p&p
IT HAS always been difficult to get detailed information regarding the DragonDOS hardware and software — until now that is. *DragonDOS Software* (better known for their excellent assembler editor) has released a 12 page book to assist *DragonDOS* — A Programmer's Guide. The text is not for the beginner but will be invaluable to the seasoned machine code programmer.

A memory map of the CGS locations used in page 4 is given (this does not give details for useful commands such as **AUTO**) as well as all the page zero locations used to store track and sector numbers etc. Very detailed information is given regarding the layout of *DragonDOS* entries — useful for writing programs to use *UNREEL*'s file.

All the entry addresses of useful routines are given such as **READ** and **WRITE** to a file, **RELL**, **PROTECT** and **RELEASE**. A file's *Each* routine is clearly documented with entry and exit parameters and there are a couple of useful example programs listed at the end of the booklet.

Finally there is a short section on known errors in the *DragonDOS* ROM however this is not as extensive as the article in *Dragon User* May 1985.

At just £2.95 (inc. p&p) the booklet is a must for any *DragonDOS* owner with an assembler!

It is also the printed page to file in a Christmas stocking — and will ensure you sleep over Christmas!

Brian Cudde



Mixing it with Basic

Part d'Arcy shows how to pass values between Basic and machine code routines

THIS is not exclusively for people to demonstrate very simple techniques how to access data commonly between BASIC and machine code routines.

1. Use EXEC

Default USB in favour of EXEC. This overcomes problems caused by known PCMC bugs and techniques used in passing parameters using EXEC would be needed anyway if it is required to pass across more than one officially allowed parameter when using USB.

2. Use EQUATES

Set up the address of machine code routines as variables at the beginning of the BASIC program and use the variable name rather than addresses themselves within the main body of the program.

eg. 30 BASNO=26314 REM sound of explosion

300 EXEC BASNO

300 EXEC BASNO

This is the equivalent of using EQUATES in machine code with its great advantages (advantages).

It is useful in maintenance such as if the address of the machine code routine is altered only the easily found line near the beginning of the program needs to be amended, avoiding a hunt through the entire program for every reference to the unaltered value.

It is useful in coding accuracy as use of a normally meaningful NAME or LABEL for strings of digits such as machine code routine addresses is less likely to lead to transcription of characters or misreading as with numbers alone.

3. Parameters

Whether using USB or EXEC, passing of parameters between BASIC and machine code has the same end result — data is placed by BASIC at a place in memory that the machine code can get hold of in a form that it can use and vice-versa.

4. Parameter storage area using EXEC

Structure machine code routine from ENTRY UPON PPOG

parameter
storage
area
PPOG

POKE'd and
PEEK'd by
BASIC programs

RES

The first instruction could be a short unconditional branch if the storage area is less than 198 bytes long but by standardising on the use of a Long Branch which takes up but one additional byte of memory you are not limited and so do not have to change it when that odd additional byte of storage added in tips the balance. Perhaps more importantly an area of potential confusion is created in the BASIC language if the parameter area always contains values of the machine code routine address+3.

5. Dragon numbers

Often a difficult concept to grasp is that although Dragon machine code is very powerful at all data-bases level it unfortunately deals only of Whole or Integer numbers, as opposed to fractions. The range of numbers it can deal with in a single instruction is 0 to 65535 (if the numbers are only ever positive (known as unsigned numbers)) and 0 to +32767 or -1 to -32768 if the numbers may be positive or negative (known as signed numbers). This may seem limited but most home users don't need decimal values below whole numbers 0 to 65535 or 0 to +32767 or -1 to -32768. Larger numbers and fractions are possible by programming techniques that is, by drawing with the values a byte or two at a time.

Dragon BASIC contains more truly to many experts' opinions of how a BASIC language should handle numeric values than many other of today's micros. BASICs that insist a number must fit a number that covers an amazing range of possible values (-999 999 999 to +999 999 999) in whole numbers alone can be proud normally on the screen.

It manages this by holding its numbers regardless of the value involved in five bytes of memory as a format is usually referred to as Real Representation Floating Point. This enables values in the range 10 to 14 to the power of plus or minus 99 to be available to BASIC programs before it runs out of puff and gets an Overflow error.

BASIC ROM is often all only machine code. To carry out arithmetic on such numbers requires them to be converted using invisible machine code instructions to a form that can be handled by the available arithmetic instructions, carry out the arithmetic function and convert them back into their five byte Real format.

6. Numeric parameters using USB

I have not experimented with them so cannot vouch for any other level above such as coding with negative values but it seems that the now-included BASIC ROM routines associated with the USB routine for converting BASIC numbers to a form usable by machine code (EXECN/GRABN) cope only with the range of whole numbers 0-65535. (No doubt Simon Gudge's Primers article will assist David Gaudin in using these routines and starts using the word Integer in its usual computer context of meaning a Double-Byte sometimes called Word unit of storage (a pair of adjacent memory bytes) rather than the English context in used so far in these pages of Whole number. For clarity I will use the words Whole or Double-Byte as appropriate).

7. Numeric parameters using EXEC

Anyone wishing to process fractions or whole numbers outside the four bytes signed or unsigned range in machine code will not find the answer in these paragraphs.

Passing numeric data to machine code

To put the parameters (—data) into the machine code parameter area PPOG is used. PPOG deals with a single byte of data at a time, automatically converting the value involved from its internally held five-byte Real format to a single byte, providing that no attempt is made to PPOG a value other than a whole positive number not exceeding 255 (else an PC error occurs).

Unsigned single byte parameter

If an unsigned single byte value (0 to 255) is involved, it can be passed across directly such as shown in Fig 1.

Signed single byte parameters

The value range of such a byte is 0 to -127

-1 to -128. As far as machine code is concerned, it is not bothered about the COMPTIME's bit's value. It is the way that we treat it in our coding that determines whether it is being used as a signed or unsigned number or not as an ASCII character. To the machine, a byte containing \$41 is a byte containing \$41. To us, it may be the decimal value 65 or the character A being output to the printer or other. Similarly, a byte containing \$FF is just that to the machine. To us, it represents the unsigned value 254 or the signed value -2 depending on the context.

Thus, when we have a negative number in BASIC to pass across to machine code adding 256 to it will create the PC-compatible positive complement.

For example, -9 can be FORCED directly in either of the following ways with identical results:
 FORCE P1 \$HFE
 FORCE P1 254
 FORCE P1 (256+(-9))

A variable containing a signed value can be suitably dealt with thus: IF N<0 THEN FORCE P1 256-N ELSE FORCE P1 N

Unsigned double byte parameters

Double byte unsigned values (range 0-65535) need to be FORCED into the parameter area a byte at a time, manipulating the value to ensure that each FORCE stays within the 0-255 range. The most significant byte (lower address) of a double byte storage location contains the number of 256s in the value and the least significant byte contains the remainder. This can be easily achieved thus:
 FORCE P0 INT (N/256) FORCE P0+1 (N AND 255)

Use of INT may trip up any programmer from the desktop. Clashing with machine code the AND 255 can probably be recognized as the equivalent of the machine code logical AND (AND4/AND8) &BFF instruction, and neatly isolates the value in the

least significant byte of a double byte value. As with a single byte negative value, double byte negative values need to be converted to their positive equivalents the same by adding 65536 to the value. A temporary variable is used (TEMP) for clarity:
 P=0:0 THEN TEMP=65536-N ELSE TEMP=N

FORCE POINT (TEMP/256) FORCE P0+1 (TEMP AND 255)

Receiving numeric data from machine code

On return from the machine code routine the corresponding PEER process needs to be used.

Single byte number N=PEER (P1)

If the number is signed, add the line: IF N<127 THEN N=N-256

Double byte numbers N=PEER (P0)+256*PEER (P0+1)

Similarly if the number is signed, add the line: IF N<32767 THEN N=N-65536

8. String parameters using USR

This appears to be an area particularly effected by ROM bugs.

9. String parameters using EXEC

As with numbers, an understanding of how BASIC deals with strings is necessary if other than simple manipulation is required. Such information is not to be found in these paragraphs.

Locating the string data

Each different variable that the BASIC program manipulates while the program is running has a five-byte control area set up for it. For numeric variables, the control area contains the value itself in its float format. For string variables, this five-byte area is known as a String Descriptor and it contains four items of information. Two of the items are of special interest when accessing the string in machine-code. They are the Length of the string and the Address that the string data actually starts at in memory. The Length is in the first byte (b) of the String Descriptor and the Address is in the third and fourth bytes (bytes 2-3). These values are already in machine code format so need no further conversion house when using machine code routines.

The first stage in passing string data to machine code is to obtain the memory Address of the String Descriptor for the required string variable. This is acquired using VARPTR ADDR=VARPTR (NAME)

The variable that the address has been placed in, ADDR, is a standard BASIC numeric variable that is at its two-byte float format. Its content (in the address of the string descriptor) falls into the category of being a whole unsigned number in the range 0-65535 (it can be passed to the machine code routine in the manner previously described) (see Fig 2).

The machine code routine can now locate the string data and its length.

LDX \$SDPTR+PC get address of String Descriptor into Reg X

Fig 1, 2 and 3 (cont 106)

BASIC		Machine code routine at address 20000		
40 G=20000	ENTRY	LEA	PC	
50 P1=4+2*PC+54	PARAM	PC		1
1	PARAM	PC		2
2				
3				
500 FORCE P1, G+2	PC			1
OR				
FORCE P1, G				2
return value to				RTN
or to continue				
a positive number				
in the range 0-255				
120 EXEC G				

BASIC		Machine code at 20000		
40 G=20000	ENTRY	LEA	PC	
50 P0=5+2*PC+54	SDPTR	PC		0
1	SDPTR	PC		1
2				
50 IFLOT (N0) G=0	PC			1
100 ADDR=PEER (G)				RTN
110 P0=0: G, 100 ADDR+256				
120 FORCE P0, ADDR				
130 EXEC G				

BASIC		Machine code at 20000		
40 G=20000	ENTRY	LEA	PC	
50 G=4+2*PC+54	SDPTR	PC		0
1	SDPTR	PC		1
2				
500 P0=0: P1=0: G=0	PC			1
510 ADDR=ADDR+256				2
520 P0=0: G, 100 ADDR+256				3
530 P0=0: G=1: ADDR AND 255				4
540 G=0: G				RTN
550 TEMP=1: G=1				
560 ADDR=TEMP+256: G				

Firmware

Brian Dodge explores the Dragon's ROM in a special series, which builds up month by month into a firmware manual.

This month we look at the Miscellaneous Firmware locations and routines. These are those not already covered which do not fall into any particular category, but which may be of use.

Miscellaneous Firmware Data Locations

25-26	Start address of Basic program
30-34	Address of top of machine stack
38-40	Top of Firmware RAM
41-42	Line number used in GONTrans command
43-44	Temporary general purpose line number store
47-48	Device mode command test pointer
124-125	Current line number (stacks a disk track)
130-132	Physical end of RAM
138-139	Current purpose 16 bit switch bit
157-158	EEPROM entry address. Initially points to routine giving an IFC error on power up
166-167	Address of current significant byte of current command
175	TROFF/TROFF? flag — non zero = trace on
176-177	Address at start of USB address table
207-208	REHUMax increment value
209-210	REHUMax start line number value
211-212	CLCData 2's complement sign offset value
213-214	REHUMax byte start line value
215	Editor line length — not used
274-275	Current value of system TIMER
277-281	Random number seeds used for RND function
288	Number of Basic commands
289-290	Address of list of Basic commands
291-292	Address of command dispatch table
293	Number of Basic functions
294-295	Address of list of Basic functions
296-297	Address of function dispatch table
298	Number of disk commands
299-300	Address of list of disk commands
301-302	Address of disk command dispatch routine
303	Number of disk functions
304-305	Address of list of disk functions
306-307	Address of disk function dispatch routine
346	Value of Joystick (0)
347	Value of Joystick (1)
348	Value of Joystick (2)
349	Value of Joystick (3)

Miscellaneous firmware Routines

SysErr — (Dragon 33904, Tandy 44102)

This routine generates the appropriate action for an error code at the H register.

The routine waits the stack, waits the cassette motor and back off and returns the Basic command mode. Errors should always be caused by entering this routine even if it is pushed by the DOS via the System Error Trap link. Error numbers start at zero with a 00FF error and progress at intervals of 2. DOS errors start at 120 and go up to 166 in steps of two. The error codes are either following order: N? S? M? G? PC OV CM WL BS SD IO ID TM DS LS ST GR UF FD AD DR IO PM RQ IE DS RE.

CmdMode — (Dragon 33648, Tandy 44147)

Prints the "CR" prompt and returns to the command mode at return addresses and subsequent commands in a main statement line are lost.

DevVect1 — (Dragon 33623, Tandy 44221)

Sets up various necessary action on a Basic program has been loaded. It should be followed by a call to DevVect2.

DevVect2 — (Dragon 33773, Tandy 44271)

Completes the initialisation process after a Basic program has been loaded. It should be preceded by a call to DevVect1.

Reset Stack — (Dragon 33844, Tandy 44338)

Resets the Basic stack to its start position at entry are lost. This routine is used as part of the power-up and error recovery procedures.

NEW basic — (Dragon 33815, Tandy 44313)

Restores the current basic program from memory (if any) resets the Basic stack stores addresses. This routine has exactly the same effect as the NEW command in Basic.

RUN Basic — (Dragon 33821, Tandy 44325)

Runs a basic program in memory. This routine is most often used to autostart basic programs after loading them from tape or disk and calling Basic1 and Basic2. This routine cannot be called directly from Basic.

Random Number — (Dragon 33766)

Generates an 8 bit random number and (stores it in location 278).

RESET — (Dragon 46304, Tandy 40666)

Resets the whole machine as if the RESET button had been pressed. The basic program and variables are not affected.

Boot Basic — (Dragon 46080, Tandy 41142)

Resets the Basic interpreter as if the machine had just been powered up and

even. This has the effect of NEWing any program in store and displays the normal boot message.

Read Joysticks — (Dragon 46466, Tandy 40668)

Updates all the joystick data locations — stored in 346-349.

List Basic — (Dragon 36622, Tandy 40668)

List the Basic program in memory to the device whose device number is in DEVH location 110. The A register must be zero on entry. This routine can not be called directly from Basic.

Boot Basic64k — (Dragon 46000)

Boots up the 64k version of Basic and goes into ROM mode. The complete routine only exists on the Dragon 64k ROM. A real-time clock of machine code is copied into the cassette buffer. This selects an alternative on board ROM which operates the 64k Basic. This is copied into RAM at 49152 onwards and the new Basic is entered. Programs are preserved variables are cleared.

Reset D/A — (Dragon 47628, Tandy 43395)

Puts the value 57C into the D/A converter address.

Write D/A — (Dragon 47630, Tandy 43396)

The A register on entry must contain the data to be placed in the D/A converter. Bits 0 and 1 should be clear.

Select JSK — (Dragon 48446, Tandy 43426)

Selects the joystick sources (ports 0 1 2 3) from the A register on entry. This routine writes to CA1 and CA2.

This is the seventh in Brian's series on the Dragon ROM routines. Next month, he will be covering the area of DragonDOS Firmware. If you have missed any of the previous issues, they can be obtained from Dragon User, Back Issues, 12-13 Little Newport Street, London WC2H 7PP, at £1.25 each, inclusive of postage, packing and administration charges. Just to remind you of the previous months:
 Sept 85 — Cassette Operating Systems
 Oct 85 — DOS Firmware Routines
 Nov 85 — Text Manager Routines
 Dec 85 — Graphics and Sound
 Jan 86 — Variables
 Feb 86 — Assorted Vectors

Cupid Cupid

More machine code action for the keyboard of Steve Gatherose

THIS GAME is all about Cupid. He has to get his point across but if all you must shoot your arrows at the moving targets using the Enter key. This is not too bad as Cupid does not move on the first level, but once you have shot 10 arrows you move on to level 2 in this level Cupid's little wings are getting tired and he keeps falling to the bottom of the screen. You must press the up arrow key to stop him falling and ending the game, but don't go up too high or the game will finish.

After another 10 arrows you move to level 3 where a man and woman appear at the top of the screen. The time instead of a target you will have to hit little hearts — if you do both the man and woman disappear to the women. The game ends when the man meets the woman or you use 10 arrows.

For each hit of the target you will score higher for the next hit, depending on where you hit the target, in a few words a bull on the first hit will get you more for the next hit on the target. Your hit is also indicated as a large target at the top of the screen. A single hit of same at the end of the game will show your next on score position.

To type in the game proceed as follows: First type in Loading 1 the hex loader. It is the same as my previous loaders so use it again if you already have it on tape. Run it and you will be asked for the start address (00000). Type this in and Enter. You will then be asked for the finish address (00000). Type this in, then Enter.

Now you must type in the row of hex digits up to, but not including the — sign from Loading 2. Press Enter and then type in the checksum (this is the number after the — sign). Press Enter and if all is okay you will see the next screen is displayed and you carry on as before until the whole of Loading 2 is finished. If you wish to type with help on some words, then type in the finish address you want to know at then save this using `CLOADM` `CLAPD` 28000 28000 where 28000 is the address you wish to load. From time you carry on the start address will be the finish address you used last time — don't forget to `CLOADM` each part before realising each time though.

The whole game is saved using `CLOADM` `CLUPD` 28000 28000 then once loaded use `CLCD` 28000 to start. If the game is too much to type in then I will supply a copy for £1.50. Also if you need any help or advice then don't hesitate to contact me at 16 Marlborough Road, Walsley St Andrew, Walsley, Cardiff PS14 7NA. Happy 8's. Wilf Jones

```
10 CLS
20 REM HEXLOADER - ENTER THE
30 REM STRING OF HEX DIGITS FIRST
40 REM AND THEN THE CHECKSUM
50 CLEAR 200,27999
60 PRINT"ENTER START ADDRESS";:INP
UT START
70 PRINT"ENTER FINISH ADDRESS";:IN
PUT FINISH
80 FOR N=START TO FINISH STEP 11
90 PRINTN;" ";
100 TT=0:INPUT A$:Z=0
110 FOR G=1 TO LEN(A$) STEP 2
120 P=VAL("0"+MID$(A$,G,2))
130 TT=TT+P:POKE (N+Z),P
140 Z=Z+1:NEXT
150 PRINT" = ";
160 INPUT T$
170 IF T$ <>HEX$(TT) THEN SOUND 20
,30:PRINT"ERROR - ENTER LINE AGAIN
":GOTO 100
180 NEXT
```

Listing 1



[illegible]

If you've got a testimonial question write to Brian Crago. Please do not send a SASE to Brian; email questions to bricrago@indiana.edu.

Dragon Answers

Dream Patch

Is there any way of patching the program to make use of the extra memory?

- **System**
- **Subsystem**
- **Component**
- **Module**
- **Package**

It is not possible to "patch" Addams to run the entire FARM. However, the editor I use is to copy the Basic into FARM using the program below. This then allows you to run the FARM from #1152 to #6389 for almost code and data. The program also copies the first 50 of the cartridge into a tape. DOS is present, in which case you can use FARM using XTMSD commands.

	DRIVE	# 1 H
	L.DIR	# 207.96A
LDOP	STA	SCH-08
	LDG	JC
	LDPA	APP-04
	SDPS	ST-01-A
	CDMPH	# 01754-A
	WLS	LDOP
	ANALOGIC	# 208
	B.TM	

Memory Port

I NEED if you can help me I have a cartridge I no longer require I am wondering if it is possible to remove the EPROM in the cartridge and replace it with a 8446 chip is this possible please Would you recommend a 8446 chip Also would I need special software to access the RAM?

D. Maci
23 Buckingham Street
Brighton
Sussex
BN1 1PL

ALTERNATIVE It is certainly possible to add extra RAM to your Dragon via the cartridge port. It is not usually possible to simply replace the chips with a RAM chip. The types of chips used in Dragon and Coco cartridges also varies so it is not easy to accommodate a way of "piggy-backing" RAM chips.



The cheap solution requires a little hardware knowledge, but a minimal of programming ... and a prototyping technique. RAM chips and Address decoder. The RAM would simply be accessed directly from address 40102 on-

Breaker Break

EVERYONE talks about the famous
FOURs to disable I like SPECIAL say-
but personally I have never come
across them. Could you please tell
me?

Group Member
 Position:
 Signature:
 Date:

There's *also* two ways to traverse the BREAK key. The first consists of a few passes by the GDB version and does not directly BREAK on INPUT of elements—drilling you by using UNARY. The second method which I favor is rather longer but works in all situations that I know of. Simply add the first listed below to the start of your program:



Shacking

I (MICK) ONLY purchased a Radio Shack TP-18 Thermal Printer as a replacement for my Oregon 66 specifically for the pricing at Radio. I assumed compatibility would not be a problem, as it was

designed for the Family 100-70 and
TBS 100-70. Contact: 1-800-441-1000.

I had no trouble in making up a 7-day \$60 to 7 per day rate with only State Station and Grand somewhere necessary on each trip. However, I now have my doubts because after visiting HSCB I find the usual part system the only point out that I can confirm is a safe move determined in length by the most string. Great reduction by Price-a-Go! CASH! also give the same state Mark and you

April 5 Wednesday
29th Worcester Lane
Barnham on Sea
Surrey
Eng. E.C.

I CAN: now any problem in interfacing this printer with the Omega 64 as you describe. While the problem you are having is due to the time rate being incorrect. The Code powers up with a default rate of 600 lines for its normal plot and scientific Family printers expect serial input to be at this speed. The Omega 64 printers up with a default rate of 1200 lines. I suggest you try the following switch you set the P2322 port in 600 lines and send it.

POLICE DEPARTMENT

High Speed

RECENTLY I've intended my Ozone from a 32 to a 64 machine. While working in the 64 mode, a problem arose. FORT 85-486.6 which speeds things up in the 32 mode doesn't seem to have the effect in the 64 mode.

As the house is occupied in the 14 months for the 1980, there must have

type location where I was PLM'd
and had some good

Maybe you could tell me what a 384 mode is equivalent to the speed FCML on the 327 mode?

2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
26

THE IBM-PC/XT "speed up" packs have been mentioned regularly over the years on this and other pages. FORTH ROMS actually comes the prettiest in for as double the speed when accessing ROM. As the Basic is normally stored in RAM it has the effect of speeding up Basic programs. Machine code programs (I think ROMs do not run any faster with this issue.

In this mode the BIOS is, as you say, stored in RAM and so does not run any faster than normal as the processor is not accessing ROM memory. There is no equivalent "speed up" patch for RAM in use.

Printer Problem

I HAVE a fairly old main power rating with my Dragon and I occasionally notice characters being randomly spaced throughout listings. I have had the printer checked but I'm told there was nothing wrong with it. Could this be a fault with my Dragon's programming?

1. *Survey of Computer Use and Use*

Received 2009-01-20
Accepted 2009-03-10
© 2009 The Authors
Journal compilation © 2009 Blackwell Publishing Ltd

THE PROGRAM is actually created by the interrupt routine which triggers the interrupt routine which runs 50 times a second, is not long (about 100 bytes) between the driver line being switched (which tells the printer that there is data at the port) than there is time for the printer to send two characters — hence the repeated characters which appear in various places in the output.

The analysis is simple — should industry, rather than government, be in the driver with policy issues?

FORM 1042007, MAY 2004
and is available from other print-
ing with
FORM 1042003
FORM 1042003, MAY 04

MIKE GERRARD'S ADVENTURE TRAIL

OVER THE last few months I've had lots of letters from readers generously offering to share their adventure successes by giving clues and sometimes complete solutions to games while at the same time I've been getting letters from new readers and adventurers asking for more hints for beginners. There's never enough space to list all the clues people send the every month, so I've decided to catch up with the backlog this time and have a longer column of clues and solutions. As always, any information that might be too revealing will be posted backwards to prevent it being seen by anyone who doesn't want to know the answer. I thought some of the more general clues will be printed ordinarily.

Barbarley Linnell of Nottingham has solved *Sphinx* and offers the following advice:

- 1) Big ugly creatures don't like things thrown at them
- 2) Fixed numbers usually
- 3) To hit Dath needs patience
- 4) Carry as much as you can
- 5) Holding your breath is a very useful exercise

More on *Sphinx* from Gertie Cash at Birmingham:

- 1) To hit Jahn: TITA 1022U FWO RWT
- 2) To get in deep pit: QNR ESDH ATEN MAUS QNR LODH LHW RMUJ
- 3) To help in killing Dath: unplug right joystick and use left joystick, trying to keep your light sword pressing over Dath's face

Juxtoposition

John Baker of 100 Gathopurwell, Thrapston, Bedfordshire (Gathopurwell has written lots of clues and answers on *Juxtoposition* which he says he solved in a few attempts but enjoyed using again sometime later. I enjoyed it a lot, wrote to John with a size but meanwhile some of the following general advice might help:

- 1) Examine all objects you find
- 2) Most doors have a logical use and are only needed once
- 3) Eat regularly or you'll weaken before you end
- 4) Always carry your ID tag
- 5) It might help to get inside quickly
- 6) Save the game regularly at several things happen which may catch you out

John's also sent lots of specific answers to problems, which really readers seem to be having trouble dealing with the doors at

the start of the game. The first door you meet can be avoided if you don't immediately rush out into the corridor and afterwards listen carefully for its approach to enable you to free. You should be able to get out of the balcony and out of the first line of doors — perhaps an idea might come to you in time? After that you will then encounter another door. To deal with this one you will need what might be called a solution:

Gertie Dolly of Hayling Island has sent a few tips for her choice among you. In *Lost in Space* for protection against the security robots you can add TROH—5 at the beginning of Line 161 and the program. In *Towers of Doom* you can get your all a permanent cloak by adding LJ1 12—50 at the start of Line 1180 and a permanent hammer by adding LJ1 27—50 at the start of Line 1250.

Ice Kingdom

Just to show to can solve adventures the proper way too. Darnan sent a few clues for *The Ice Kingdom*:

- 1) In the armoury: SHED ITHW TPOE NOFO DASH LUUP
- 2) To get past the snowman: RGT STM 10P
- 3) When you meet the small girl: SELO PSHH WASH VIG

I've received several clues from Darnan Royal at London SW15, finally an *AI* solution:

- 1) The crystal is not who he seems to be
- 2) To get into the cave in the canyon: EVA CRK ARRW EHTM AERO
- 3) Found the magic beam? GSW TASH 16TH DCH
- 4) Got a leg? LO HIF 16P
- 5) Man with machine a problem? CLD SCPE ULGW OASH

And secondly on *Time Machine*:

- 1) To get out of the dark opening: RASH GRCH TASH RVL MAJN DTH RVL LUUP
- 2) Gannam? RMM AHTT FWT KASH

- 3) Police-bus? TIC ROM GI

A few months ago in the adventure contest section a reader named J.P. Therpe was asking for help at *Posidon's Tomb* but unfortunately his address was omitted. If Tuck of Chesham-on-Sea can help and send the solutions in a few:

- 1) To get into the water room: get where the walls have a cut and say a word that connects the players on the walls that you pass on your way there. (You

should find a clue to fit a clue on that one)

- 2) To give the robot the carrots: TIPP ARDE ETEL PMS
- 3) To open the anachronus: RALLIC EPHW MOFF DYER RUPP

If there was a *Starvation Adventure* Contest then Rob Matherly of Norwich ought to stand a good chance of winning as he's sent me solutions to no less than six adventures. Is there nothing else to do in *Starvation*? RobTM I'm very grateful to him for taking the trouble to do this. The adventures he's covered being: *Juxtoposition*, *Secret Mission*, *Clanville of Doom*, *Time Machine*, *Lost in Space* and *Wings of War*. I'll pick a few bits out of each, starting with *Juxtoposition* where two readers have already written to me saying they've been having trouble dealing with the *Nightmare* Stage:

- 1) *Nightmare* Stage? ARC MAC EHTT SUOS THIO LTND 1685 17AH
- 2) Gannam a problem? SHF FCSH HNN GUL PSHH PDEL STUP
- 3) To get back inside the over TMU: RDM ESH TIGU
- 4) To disarm the bomb: BULD GORY EPHD DERE ULGW SHFF

Some of Rob's clues in *Secret Mission*:

- 1) To reach the bridge: RED RODE RHTT WROD MWAK AERS
- 2) No use for the map? TH SHF
- 3) To get into control room: RGO DENT KOK

In *Genius of Doom*:

- 1) To open lockbox: NDT ELE RUSH TEN MAKE
- 2) To move out over deep water: LUAP RETA WONI HEST ACOR EDNU KODL
- 3) To get rid of the large bear: RACET ARUG SHF

In *Lost in Space*:

- 1) To escape the maze: RMAN RORR AFON GULO FORA DRP
- 2) To find the ship: EPT AICH AEN HCAM GROP MRS IDET HTH ESH
- 3) To obtain security box: RILK NAWH SGR CHS GAP

For *Wings of War* Rob has included the following clues:

- 1) To find a car to escape in: SCAL PEPH RREN STER GARS HPUT
- 2) Key for car? SCAL ITHW TCOO ONEC 17P DSH
- 3) How to fit the container? MRM MLL AFOP ARCS DRAH DVER MDSU

Since January 1986 *The Magazine* Daven-

Puzzle it out!

A crossword creator brought to you by C.L. Naylor

PUZZGRID will create the template and the words in the grid puzzle from your own set of 10 words.

Initially you will be asked to input your 10 words. Naturally with the 10 x 10 grid they must not be longer than 10 letters and in practice it is better to input the longer words first, the puzzle will be produced in a much shorter time.

After the 10th word has been input you can wait as the computer finds places for all the words in the grid. Finally a list of the

empty spaces with randomly chosen letters and the words are listed alongside the puzzle.

You are then given the space of a period in the form shown in Fig. 1, creating a different puzzle using the same words, or making a completely new puzzle. If you are just soigné you get puzzle for your pain, then at least you'll have to look away while it is being produced on screen.

The program is relatively simple. The grid is made up from a number of strings which

are then manipulated in Lines 110-130 to fit in your chosen words. A random direction and initial position in the grid are chosen and the current word is temporarily fixed for a bit. If it won't fit, this process is repeated until it does.

The whole routine is then repeated for the next word and so on until all 10 words are in Lines 240-280 then fill the holes with random letters.

The Printer dump peeks the text across to produce the final puzzle.

Find the words hidden in the Grid
Across, Down, Diagonally or Backwards

S E V F E X P E R T	BEHIND
W X G I E T E N D L	STEED
A O G S S T E I D E	COMPUTER
E M L E M M S J C V	INTEND
P I B T T P S E V A	BOE
A E O F E X E Q Q V	PARTY
P E X D I N N E S S	DINNER
L P R E T U P M O C	ABLE
E B Y T F E C S B S	SCENT
E P A R T Y N V M V	EXPERT

Program Listing

```

100  REM ***** PUZZGRID *****
110  REM ***** C.L. NAYLOR *****
120  REM ***** 10/10 *****
130  REM ***** 10/10 *****
140  REM ***** 10/10 *****
150  REM ***** 10/10 *****
160  REM ***** 10/10 *****
170  REM ***** 10/10 *****
180  REM ***** 10/10 *****
190  REM ***** 10/10 *****
200  REM ***** 10/10 *****
210  REM ***** 10/10 *****
220  REM ***** 10/10 *****
230  REM ***** 10/10 *****
240  REM ***** 10/10 *****
250  REM ***** 10/10 *****
260  REM ***** 10/10 *****
270  REM ***** 10/10 *****
280  REM ***** 10/10 *****
290  REM ***** 10/10 *****
300  REM ***** 10/10 *****
310  REM ***** 10/10 *****
320  REM ***** 10/10 *****
330  REM ***** 10/10 *****
340  REM ***** 10/10 *****
350  REM ***** 10/10 *****
360  REM ***** 10/10 *****
370  REM ***** 10/10 *****
380  REM ***** 10/10 *****
390  REM ***** 10/10 *****
400  REM ***** 10/10 *****
410  REM ***** 10/10 *****
420  REM ***** 10/10 *****
430  REM ***** 10/10 *****
440  REM ***** 10/10 *****
450  REM ***** 10/10 *****
460  REM ***** 10/10 *****
470  REM ***** 10/10 *****
480  REM ***** 10/10 *****
490  REM ***** 10/10 *****
500  REM ***** 10/10 *****
510  REM ***** 10/10 *****
520  REM ***** 10/10 *****
530  REM ***** 10/10 *****
540  REM ***** 10/10 *****
550  REM ***** 10/10 *****
560  REM ***** 10/10 *****
570  REM ***** 10/10 *****
580  REM ***** 10/10 *****
590  REM ***** 10/10 *****
600  REM ***** 10/10 *****
610  REM ***** 10/10 *****
620  REM ***** 10/10 *****
630  REM ***** 10/10 *****
640  REM ***** 10/10 *****
650  REM ***** 10/10 *****
660  REM ***** 10/10 *****
670  REM ***** 10/10 *****
680  REM ***** 10/10 *****
690  REM ***** 10/10 *****
700  REM ***** 10/10 *****
710  REM ***** 10/10 *****
720  REM ***** 10/10 *****
730  REM ***** 10/10 *****
740  REM ***** 10/10 *****
750  REM ***** 10/10 *****
760  REM ***** 10/10 *****
770  REM ***** 10/10 *****
780  REM ***** 10/10 *****
790  REM ***** 10/10 *****
800  REM ***** 10/10 *****
810  REM ***** 10/10 *****
820  REM ***** 10/10 *****
830  REM ***** 10/10 *****
840  REM ***** 10/10 *****
850  REM ***** 10/10 *****
860  REM ***** 10/10 *****
870  REM ***** 10/10 *****
880  REM ***** 10/10 *****
890  REM ***** 10/10 *****
900  REM ***** 10/10 *****
910  REM ***** 10/10 *****
920  REM ***** 10/10 *****
930  REM ***** 10/10 *****
940  REM ***** 10/10 *****
950  REM ***** 10/10 *****
960  REM ***** 10/10 *****
970  REM ***** 10/10 *****
980  REM ***** 10/10 *****
990  REM ***** 10/10 *****
1000 REM ***** 10/10 *****

```

```

1010 REM ***** 10/10 *****
1020 REM ***** 10/10 *****
1030 REM ***** 10/10 *****
1040 REM ***** 10/10 *****
1050 REM ***** 10/10 *****
1060 REM ***** 10/10 *****
1070 REM ***** 10/10 *****
1080 REM ***** 10/10 *****
1090 REM ***** 10/10 *****
1100 REM ***** 10/10 *****
1110 REM ***** 10/10 *****
1120 REM ***** 10/10 *****
1130 REM ***** 10/10 *****
1140 REM ***** 10/10 *****
1150 REM ***** 10/10 *****
1160 REM ***** 10/10 *****
1170 REM ***** 10/10 *****
1180 REM ***** 10/10 *****
1190 REM ***** 10/10 *****
1200 REM ***** 10/10 *****
1210 REM ***** 10/10 *****
1220 REM ***** 10/10 *****
1230 REM ***** 10/10 *****
1240 REM ***** 10/10 *****
1250 REM ***** 10/10 *****
1260 REM ***** 10/10 *****
1270 REM ***** 10/10 *****
1280 REM ***** 10/10 *****
1290 REM ***** 10/10 *****
1300 REM ***** 10/10 *****
1310 REM ***** 10/10 *****
1320 REM ***** 10/10 *****
1330 REM ***** 10/10 *****
1340 REM ***** 10/10 *****
1350 REM ***** 10/10 *****
1360 REM ***** 10/10 *****
1370 REM ***** 10/10 *****
1380 REM ***** 10/10 *****
1390 REM ***** 10/10 *****
1400 REM ***** 10/10 *****
1410 REM ***** 10/10 *****
1420 REM ***** 10/10 *****
1430 REM ***** 10/10 *****
1440 REM ***** 10/10 *****
1450 REM ***** 10/10 *****
1460 REM ***** 10/10 *****
1470 REM ***** 10/10 *****
1480 REM ***** 10/10 *****
1490 REM ***** 10/10 *****
1500 REM ***** 10/10 *****
1510 REM ***** 10/10 *****
1520 REM ***** 10/10 *****
1530 REM ***** 10/10 *****
1540 REM ***** 10/10 *****
1550 REM ***** 10/10 *****
1560 REM ***** 10/10 *****
1570 REM ***** 10/10 *****
1580 REM ***** 10/10 *****
1590 REM ***** 10/10 *****
1600 REM ***** 10/10 *****
1610 REM ***** 10/10 *****
1620 REM ***** 10/10 *****
1630 REM ***** 10/10 *****
1640 REM ***** 10/10 *****
1650 REM ***** 10/10 *****
1660 REM ***** 10/10 *****
1670 REM ***** 10/10 *****
1680 REM ***** 10/10 *****
1690 REM ***** 10/10 *****
1700 REM ***** 10/10 *****
1710 REM ***** 10/10 *****
1720 REM ***** 10/10 *****
1730 REM ***** 10/10 *****
1740 REM ***** 10/10 *****
1750 REM ***** 10/10 *****
1760 REM ***** 10/10 *****
1770 REM ***** 10/10 *****
1780 REM ***** 10/10 *****
1790 REM ***** 10/10 *****
1800 REM ***** 10/10 *****
1810 REM ***** 10/10 *****
1820 REM ***** 10/10 *****
1830 REM ***** 10/10 *****
1840 REM ***** 10/10 *****
1850 REM ***** 10/10 *****
1860 REM ***** 10/10 *****
1870 REM ***** 10/10 *****
1880 REM ***** 10/10 *****
1890 REM ***** 10/10 *****
1900 REM ***** 10/10 *****
1910 REM ***** 10/10 *****
1920 REM ***** 10/10 *****
1930 REM ***** 10/10 *****
1940 REM ***** 10/10 *****
1950 REM ***** 10/10 *****
1960 REM ***** 10/10 *****
1970 REM ***** 10/10 *****
1980 REM ***** 10/10 *****
1990 REM ***** 10/10 *****
2000 REM ***** 10/10 *****

```

Full Magazine ☐ All prices include postage

Check or P.O. made payable to:

Continuum, Inc. P.O. Box 144, Easton, Tenn. 37620

S.P. ELECTRONICS
44 Lundy Road, Huddersfield, Wetherby
(Wetherby) 043777

Journal Review: As mentioned, this is a very useful book for those who are interested in the field of health care. The book is written by a group of experts in the field, and it provides a comprehensive overview of the current state of the field. The book is well organized and easy to read, and it provides a wealth of information that is both current and relevant. The book is a must-read for anyone who is interested in the field of health care.

Keywords: child sexual abuse; disclosure; social support; coping strategies

¹ *Journal of Applied Behavior Analysis*, 1977, 10, 1-15.

MARCH PUZZLE

Gordon Lee sets the pace — and this month there are 25 copies of *Quickbeam's* 550th race to be won

It is somewhat surprising that I was only as
late as a decade ago that the first single-
processor calculators were making their
appearance on the scientific market.
These early models generally had just the
four basic mathematical functions — addi-
tion, subtraction, multiplication and di-
vision — and consequently it was sometimes
necessary to derive methods of calculating
values whose functions were not provided
on those machines. The calculation of
square roots is a case in point. Readers
who are familiar with the classical "paper
and paper" method for the extraction of
square roots will appreciate the complexity
of the method, and will realize the advan-
tage of an easier method of calculation.
Nevertheless, the calculation of square
(and cube) roots using just the four basic
mathematical functions is still possible. It
may be thought that this method has now
only a curiosity value, but the actual
technique is still applicable in solving
problems in computing which do not lend
themselves to other more conventional
methods of solution. This month's com-
puter column may well be your first ex-

But I am the method for finding square roots as we follow:

- 1) Make a rough guess as to what the answer that might be
 - 2) Square that value (using the arbitrary multiplication function)
 - 3) Compare the result with the original number
 - 4) Adjust your guess by a proportional amount to give you a revised value
64. See in step 2

By continuing the procedure until the square of the guess is the same as the number whose square root we are trying to find, we arrive at the correct root by a method of approximation, or guesswork.

Not using a single calculator in a classroom of eight independent figures can be obtained in only five to ten calculations of the magnitude of operations. Mathematically this is known as a recursive method of solution because the method uses each solution as a basis for a further more and more sophisticated development in effect the value label on "fourteen" for the next calculation.

This can be translated into the following **PL/SQL** program:

```
1 INPUT ENTER NUMBER IN GUESS
2 = R2
3 S - GUESS/GUESS
4 IF ABS(S - R2) < 0.0001 THEN PRINT
  THE SQ RT OF R IS: GUESS
5 A = GUESS + R2/2      GUESS =
  /R/ABS(A
6 GOTO 3
```

The original linear numbering of the programs is so that each line corresponds to the given numbers of the method outlined earlier in the corresponding program. OLEDS is added to the end of line 2 and the program can for a couple of lines afterwards be used to calculate the exact success rate. The computed results are also presented in the corresponding column of the output table. The total accuracy is dependent on the mathematical accuracy of the computer, but all mathematical operations are performed to full precision. Currently, the accuracy of the integral part of the start of the operation is of all digits. This guarantees that while the method affecting the final result, the difference between the number of iterations and the number of iterations carried out before the result is obtained. In fact, the program will stop whenever with the need to input a given n value as its final approximation, a value of half the number whose square is less than

These conditions of growth are approximately those

every possible method of solving the following problem posed recently by Professor C. H. Hsiang to some of his students:

I have here announced the professor. Two imaginary spheres, each one a foot in diameter.⁶ The professor stood with his arms outstretched balancing each imaginary sphere on the forehead of each hand.

*You will realize that the volume occupied by each sphere is a little over half a cubic foot, which will make the total volume of both spheres to be slightly in excess of one cubic foot.

Here, it is fairly easy to see the spheres closer together there will come a time when the two spheres begin to merge. Unlike real spheres, they do not deform, but like ghosts they just melt into one another with the only a volume of the overlapping portion (all of which is contained).

You will understand that if I continue merging the spheres until they are both exactly superimposed I would be left with a single sphere with its original volume of just over half a cubic foot. The second sphere would have vanished!

What I would like to know is: how far apart are the centres of the spheres when the total combined volume is exactly one cubic foot?

That was the professor's problem. To solve it you will need to know that the volume of a sphere is given by $V = \frac{4}{3}\pi r^3$ and also that the volume of a spherical segment is given by $V = \frac{1}{6}\pi(h^2(3R + h) - 3R^2h)$. Note that if a slice is removed from a sphere by means of a straight cut the small (and the big) pieces produced are called a spherical segment. In the formula R is the radius of the sphere (and h is the height of the segment). If it is a slice on its flat cut surface the height of the curved closed

1999

This month we are offering 50 copies of *60/60 Express from Quebec* on digital vinyl — a sort of cross between Hardys and Thomas the Tank Engine, where you can choose your digital vinyl operation in your language. Can't we?

Figure 1

To enter your Quidditch game, you must first show the referee (or the above computer) that you and your teammates have you entered it with the aid of your Dragon. Please do not send in a certificate containing your program. Make sure that your name and address are clearly printed on your entry and make the envelope. **March Madness**

tion. (Developers which do not state which month you are entering for will be dropped.)

All in all, December has been a month of surprises. We're asking you to keep the phone. The more time you spend on the phone, the more you'll be able to get out of it. We're not sure if it's 12 months or 12 months, but we'll give you the answer in 12 months.

December Winners

The repeat winners get a copy of the nation's adventure game Trailblaze. Congratulations go to Simon Aubrey of Benson White P.O. Woods of Delicate Gardens Berkeley and Ward Essex M.E.C. Huxford of Phoenix Road, Eden Kent M.I. Jones of Broadway Avenue, Leeds C.

Members of New Hair Rd. Association: Murray, Michael; Richards, J. (England); County, Graham, M. W. Garrison, George; Royal, Slick; Brown, Tawacast; North-lands, J. W. Davis; Radnorshire, David; Chas-ler, Charles.

Interrupting his break, answers (I want to
 rest in Dutch) that because ... I (wanted)
 because all my friends have been!
 because I want to go where no teacher has
 gone before ... and my wife had her orange
 pop in one

Apologies to anyone who hasn't received your regular positive press recently — we've been having a bit of bother in that department. If you're one of the unhappy ones, then drop us a line and we'll pop it in the post.

Dean Farm College,
Kingsley, Bordon, Hants GU35 9WQ
Tel. Bordon 544001 544070

MOVE OVER POLE POSITION HERE!

SPEED RACER

MICRODEAL



**NOW
ON
DISK!**

1 Joyride



Take your choice and

from the Microdeal

Line of 1000



Available for
Dragon 32K/64 cassette £6.99
Dragon DOS disk £9.95
Premier DOS disk £9.95
Tandy colour 32K cassette £8.00
(Available only at Tandy Shops)
Post & Packing 75p

Tandy version available at **TANDY** Shops
other versions available on
our 24 hour service

By phone **0726 68020**

By post to **MICROPOST**
41 Truro Rd. St Austell,
Cornwall PL26 5JE



MICRODEAL